



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For www.coloradospringsports.org | Verdict: **Compliant!**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **www.coloradospringsports.org** as of Sat Mar 25 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	17	0	100%

Code snapshots of some successful elements

```
<button class="cky-btn cky-btn-customize " aria-label="Customize" data-cky-tag="settings-button" style="undefined;background-color:transparent;border-color:#1863dc;background-color:#ffffff!important" data-acsb-original-style="color:#1863dc;backgr...
```

```
<button class="cky-btn cky-btn-reject " aria-label="Reject All" data-cky-tag="reject-button" style="undefined;background-color:transparent;border-color:#1863dc;background-color:#ffffff!important" data-acsb-original-style="color:#1863dc;background...
```

```
<button class="cky-btn cky-btn-accept " aria-label="Accept All" data-cky-tag="accept-button" style="undefined;background-color:#1863dc;border-color:#1863dc;background-color:#ffffff!important" data-acsb-original-style="color:#FFFFFF;background-col...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-label="Previous slide" tabindex="0" > <i class="eicon-chevron-left " aria-hidden="true" data-acsb-force-hidden="true"></i> <span class="elementor-screen-onl...
```

```
<div tabindex="0" aria-label="" class="elementor-element elementor-element-d61aed5 mbm None default none elementor-widget elementor-widget-heading" data-id="d61aed5" data-element_type="widget" data-settings="{&quot;enabled_visibility&quot;:&quot;yes...
```

```
<div tabindex="0" aria-label="" class="elementor-element elementor-element-5579e4b mbm None default none elementor-widget elementor-widget-heading" data-id="5579e4b" data-element_type="widget" data-settings="{&quot;enabled_visibility&quot;:&quot;yes...
```

```
<div tabindex="0" aria-label="" class="elementor-column elementor-col-50 elementor-top-column elementor-element elementor-element-f1574f0 default data-aos-duration_500 quickBGArray " data-id="f1574f0" data-element_type="column" data-aos-duration="500...
```

```
<div class="swiper-button-left left-5f87083 " role="button" tabindex="0"
> <span data-="true" " aria-hidden="false" > Previous slide </span><svg x
mlns="http://www.w3.org/2000/svg" width="54" height="54" viewBox="0 0 54
54" aria-hidden="true" dat...
```

```
<div class="swiper-button-right right-5f87083 " role="button" tabindex
="0" > <span data-="true" " aria-hidden="false" > Next slide </span><svg
xmlns="http://www.w3.org/2000/svg" width="54" height="54" viewBox="0 0 54
54" aria-hidden="true" data-...
```

```
<button data-qe-id="form-button" type="submit" class="ctct-form-button "
style=";background-color:#ffffff!important;color:#000000!important;" role
="button">Sign up!</button>
```

-
- 2 [Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

17

0

100%

Code snapshots of some successful elements

```
<button class="cky-btn cky-btn-customize " aria-label="Customize" data-cky
y-tag="settings-button" style="undefined;background-color:transparent;bor
der-color:#1863dc;background-color:#ffffff!important" data-acsb-original-
style="color:#1863dc;backgr...
```

```
<button class="cky-btn cky-btn-reject " aria-label="Reject All" data-cky-
tag="reject-button" style="undefined;background-color:transparent;border-
color:#1863dc;background-color:#ffffff!important" data-acsb-original-styl
e="color:#1863dc;background...
```

```
<button class="cky-btn cky-btn-accept " aria-label="Accept All" data-cky-
tag="accept-button" style="undefined;background-color:#1863dc;border-colo
r:#1863dc;background-color:#ffffff!important" data-acsb-original-style="c
olor:#FFFFFF;background-col...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role
="button" aria-label="Previous slide" tabindex="0" > <i class="eicon-chev
ron-left " aria-hidden="true" data-acsb-force-hidden="true"></i> <span cl
ass="elementor-screen-onl...
```

```
<div tabindex="0" aria-label="" class="elementor-element elementor-element-d61aed5 mbm None default none elementor-widget elementor-widget-heading" data-id="d61aed5" data-element_type="widget" data-settings="{&quot;enabled_visibility&quot;:&quot;yes...&quot;}&quot;yes...
```

```
<div tabindex="0" aria-label="" class="elementor-element elementor-element-5579e4b mbm None default none elementor-widget elementor-widget-heading" data-id="5579e4b" data-element_type="widget" data-settings="{&quot;enabled_visibility&quot;:&quot;yes...&quot;}&quot;yes...
```

```
<div tabindex="0" aria-label="" class="elementor-column elementor-col-50 elementor-top-column elementor-element elementor-element-f1574f0 default data-aos-duration_500 quickBGArray" data-id="f1574f0" data-element_type="column" data-aos-duration="500...
```

```
<div class="swiper-button-left left-5f87083" role="button" tabindex="0" > <span data-="" true" " aria-hidden="false" > Previous slide </span><svg xmlns="http://www.w3.org/2000/svg" width="54" height="54" viewBox="0 0 54 54" aria-hidden="true" data-...
```

```
<div class="swiper-button-right right-5f87083" role="button" tabindex="0" > <span data-="" true" " aria-hidden="false" > Next slide </span><svg xmlns="http://www.w3.org/2000/svg" width="54" height="54" viewBox="0 0 54 54" aria-hidden="true" data-...
```

```
<button data-qe-id="form-button" type="submit" class="ctct-form-button" style=";background-color:#ffffff!important;color:#000000!important;" role="button">Sign up!</button>
```

- 3 [Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

45

0

100%

Code snapshots of some successful elements

```
<a href="https://www.coloradospringssports.org" > <span data-="" true" " aria-hidden="false" > Home </span>Star-Spangled Symphony & July 4th Fireworks</a>
```

```
<a href="https://www.coloradospringssports.org/events/rockymountainstategames/" style=";background-color:#ffffff!important;color:#000000!important;">Rocky Mountain State Games</a>
```

```
<a href="https://www.coloradospringssports.org/events/cycletothetsummit/" style=";background-color:#ffffff!important;color:#000000!important;">Cycle to the Summit</a>
```

```
<a href="https://www.coloradospringssports.org/events/labor-day-lift-off/" style=";background-color:#ffffff!important;color:#000000!important;">Labor Day Lift Off</a>
```

```
<a href="https://www.coloradospringssports.org/events/pikes-peak-apex/" style=";background-color:#ffffff!important;color:#000000!important;">Pikes Peak APEX</a>
```

```
<a href="https://www.coloradospringssports.org/events/colorado-springs-sports-hall-of-fame/" style=";background-color:#ffffff!important;color:#000000!important;">Colorado Springs Sports Hall of Fame</a>
```

```
<a href="https://www.coloradospringssports.org/events/winter-polo-classic/" style=";background-color:#ffffff!important;color:#000000!important;">The Broadmoor Winter Polo Classic</a>
```

```
<a class="elementor-icon" href="https://www.coloradospringssports.org/events/winter-polo-classic/" data-acsb-scrape-url="https://coloradospringssports.org/events/winter-polo-classic/"> <svg xmlns="http://www.w3.org/2000/svg" width="36" height="36"...
```

```
<a href="https://www.coloradospringssports.org/events/golf-tournament/" style=";background-color:#ffffff!important;color:#000000!important;">Sports Corp Golf Tournament</a>
```

Code snapshots of some successful elements

```
<a href="https://www.elpomar.org/" target="_blank" data-acsb-tooltip="New Window" data-acsb-scrape-url="https://elpomar.org/"> <span data-="true" " aria-hidden="false" > New Window </span><picture class="attachment-large size-large wp-image-206" ...
```

```
<a href="https://my.xfinity.com/?cid=cust" target="_blank" data-acsb-tooltip="New Window" data-acsb-scrape-url="https://my.xfinity.com/"> <span data-="true" " aria-hidden="false" > New Window </span><picture class="attachment-large size-large wp-...
```

```
<a href="https://www.elpasoco.com/" target="_blank" data-acsb-tooltip="New Window" data-acsb-scrape-url="https://elpasoco.com/"> <span data-="true" " aria-hidden="false" > New Window </span><picture class="attachment-large size-large wp-image-401...
```

```
<a href="https://gazette.com/" target="_blank" data-acsb-tooltip="New Window" data-acsb-scrape-url="https://gazette.com/"> <span data-="true" " aria-hidden="false" > New Window </span><picture class="attachment-large size-large wp-image-3970" loa...
```

```
<a href="https://www.uchealth.org/" target="_blank" data-acsb-tooltip="New Window" data-acsb-scrape-url="https://uchealth.org/"> <span data-="true" " aria-hidden="false" > New Window </span><picture class="attachment-large size-large wp-image-860...
```

```
<a href="https://www.bbb.org/us/co/colorado-springs/profile/sports/colorado-springs-sports-corporation-0785-6347333/#sealclick" target="_blank" rel="nofollow" data-acsb-tooltip="New Window" ><span data-="true" " aria-hidden="false" > account New W...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-facebook-f elementor-repeater-item-6a1eb29 " href="https://facebook.com/thesportscorp/" target="_blank" data-acsb-tooltip="New Window" style=";background-color:#ffffff!important;...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-twitter elementor-repeater-item-1231ff4 " href="https://twitter.com/thesportscorp?lang=en" target="_blank" data-acsb-tooltip="New Window" style=";background-color:#ffffff!importa...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-instagram elementor-repeater-item-70dfa04 " href="https://instagram.com/thesp  
ortscorp/?hl=en" target="_blank" data-acsb-tooltip="New Window" style=";b  
ackground-color:#ffffff!impo...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-yout  
ube elementor-repeater-item-86027df " href="https://www.youtube.com/user/  
CSpringsSportsCorp" target="_blank" data-acsb-tooltip="New Window" style  
=";background-color:#ffffff!i...
```

5	An H1 title provides information to blind users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

Code snapshots of some successful elements

```
<h1 class="elementor-heading-title elementor-size-xxl " style=";backgroun  
d-color:#ffffff!important;color:#000000!important;" role="heading" aria-l  
evel="1">Inspiring &amp; Advancing Colorado Springs Through Sport</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	5	0	100%
---	---	-----	---	---	------

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	Yes	4	0	100%
---	--	-----	---	---	------

Code snapshots of some successful elements

```
<span class="elementor-heading-title elementor-size-large "><strong>Thank  
you to our Core Sponsors</strong></span>
```

```
<strong>Thank you to our Core Sponsors</strong>
```

```
<span class="elementor-heading-title elementor-size-xxl "><strong>Stay up
```

Stay up to Date

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	12	0	100%

Code snapshots of some successful elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-label="Previous slide" tabindex="0" > <i class="eicon-chevron-left " aria-hidden="true" data-acsb-force-hidden="true"></i> <span class="elementor-screen-onl...
```

```
<div tabindex="0" aria-label="" class="elementor-element elementor-element-d61aed5 mbm None default none elementor-widget elementor-widget-heading " data-id="d61aed5" data-element_type="widget" data-settings="{&quot;enabled_visibility&quot;:&quot;yes...
```

```
<div tabindex="0" aria-label="" class="elementor-element elementor-element-5579e4b mbm None default none elementor-widget elementor-widget-heading " data-id="5579e4b" data-element_type="widget" data-settings="{&quot;enabled_visibility&quot;:&quot;yes...
```

```
<div tabindex="0" aria-label="" class="elementor-column elementor-col-50 elementor-top-column elementor-element elementor-element-f1574f0 default data-aos-duration_500 quickBGArray " data-id="f1574f0" data-element_type="column" data-aos-duration="500...
```

```
<div class="swiper-button-left left-5f87083 " role="button" tabindex="0" > <span data-="" true" " aria-hidden="false" > Previous slide </span><svg xmlns="http://www.w3.org/2000/svg" width="54" height="54" viewBox="0 0 54 54" aria-hidden="true" dat...
```



```
<div class="swiper-button-right right-5f87083 " role="button" tabindex="0" > <span data-="true" " aria-hidden="false" > Next slide </span><svg xmlns="http://www.w3.org/2000/svg" width="54" height="54" viewBox="0 0 54 54" aria-hidden="true" data-...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role"	Yes	2	0	100%

Code snapshots of some successful elements

```
<nav class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-text e--animation-grow" role="presentation"><div class="cmm4e-container cmm4e-wrapper-theme-default-menu-skin-461836" role="navigation...
```

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul" ><li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li" data-acsb-menu-root="true"> <a href="https://www.coloradospringssports.org/privacy-policy...
```

16 [Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".](#)

Yes

5

0

100%

Code snapshots of some successful elements

```
<a href="https://www.coloradospringssports.org/about-us/" class="cmm4e-nav-link" itemprop="url" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use ←/→ to navigate"><span class="cmm4...
```

```
<a href="https://www.coloradospringssports.org/events/" class="cmm4e-nav-link" itemprop="url" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="cmm4e-item-label " itemprop="name" style=";bac...
```

```
<a href="#" class="cmm4e-nav-link " itemprop="url" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="cmm4e-item-label " itemprop="name" style=";background-color:#ffffff!importa...
```

```
<a href="https://www.coloradospringssports.org/attractions-happenings/" class="cmm4e-nav-link" itemprop="url" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="cmm4e-item-label " itemprop="n...
```

```
<a href="https://www.coloradospringssports.org/media/" class="cmm4e-nav-link" itemprop="url" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="cmm4e-item-label " itemprop="name" style=";back...
```

- 17 Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.

Yes

5

0

100%

Code snapshots of some successful elements

```
<a href="https://www.coloradospringssports.org/about-us/" class="cmm4e-nav-link" itemprop="url" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use </> to navigate"><span class="cmm4...
```

```
<a href="https://www.coloradospringssports.org/events/" class="cmm4e-nav-link" itemprop="url" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="cmm4e-item-label " itemprop="name" style=";bac...
```

```
<a href="#" class="cmm4e-nav-link " itemprop="url" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="cmm4e-item-label " itemprop="name" style=";background-color:#ffffff!importa...
```

```
<a href="https://www.coloradospringssports.org/attractions-happenings/" class="cmm4e-nav-link" itemprop="url" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="cmm4e-item-label " itemprop="n...
```

```
<a href="https://www.coloradospringssports.org/media/" class="cmm4e-nav-link" itemprop="url" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false"><span class="cmm4e-item-label " itemprop="name" style=";back...
```

- 18 Images should have an alternative text description that describes both the objects and the embedded text that the image

Yes

Pass

-

100%

Code snapshots of some successful elements

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	62	0	100%

Code snapshots of some successful elements

```
<i class="cky-chevron-right" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<span class="cky-footer-shadow " style="background: linear-gradient(rgba(255, 255, 255, 0) 0%, rgb(255, 255, 255) 100%);background-color:#ffffff!important;color:#000000!important;" data-acsb-original-style="background: linear-gradient(rgba(255, 255, ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="24.37" height="24.37" viewBox="0 0 24.37 24.37" style=";background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" > <path id="Icon_awesome-phone-alt"...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="30.624" height="24.5" viewBox="0 0 30.624 24.5" style=";background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" > <path id="Icon_material-email" da...
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" width="153.895" height="67.843" viewBox="0 0 153.895 67.843" style=";background-color:#ffffff!important;color:#000000!important;" aria-h
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="52" height="52" viewBox="0 0 52 52" aria-hidden="true" data-acsb-force-hidden="true" > <g id="Group_135" data-name="Group 135" transform="translate(-336 -30)" > <g id="Path_195" data-name="Path 195" tr...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="52" height="52" viewBox="0 0 52 52" aria-hidden="true" data-acsb-force-hidden="true" > <g id="Group_135" data-name="Group 135" transform="translate(-336 -30)" > <g id="Path_195" data-name="Path 195" tr...
```

```
<i class="eicon-chevron-left " aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i aria-hidden="true" class="eicon-chevron-right " data-acsb-force-hidden="true" ></i>
```

```
<span class="swiper-notification" aria-atomic="true" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<figure class="swiper-slide-inner" role="none"><picture decoding="async" class="swiper-slide-image"> <source type="image/webp" srcset="https://www.coloradospringssports.org/wp-content/uploads/2023/01/CSSC-Home-Hero-Images-_0005_Background.jpg.webp" a...
```

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes)	No	0	0	-

excluded from screen-readers.

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	3	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

```
<input class="ctct-form-element" data-qe-id="form-input-email" id="email_address_1" type="email" name="email_address" value="" maxlength="80" aria-hidden="false" data-acsb-validation-uuid="email_address_1" data-acsb-field-visible="true" aria-requi...
```

```
<input class="ctct-form-element" data-qe-id="form-input-first-name" id="first_name_1" type="text" name="first_name" value="" maxlength="50" aria-hidden="false" data-acsb-validation-uuid="first_name_1" data-acsb-field-visible="true" aria-required="..."
```

```
<input class="ctct-form-element" data-qe-id="form-input-last-name" id="last_name_1" type="text" name="last_name" value="" maxlength="50" aria-hidden="false" data-acsb-validation-uuid="last_name_1" data-acsb-field-visible="true" aria-required="true..."
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
----	--	----	---	---	---

26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
----	---	----	---	---	---

27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
----	---	----	---	---	---

element that either has text description or an "aria-label" attribute.

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%
----	---	-----	------	---	------

Code snapshots of some successful elements

```
<form class="ctct-form-custom" id="ctct_form_1" autocomplete="on" data-qe-id="form-data" data-acsb-form-uuid="adbo0efn6us" data-acsb-form-type="standard"> <div id="email_address_field_1" class="ctct-form-field">...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
----	---	----	---	---	---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<title>Colorado Springs Sports Corp - Colorado Springs Sports Corporation</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<html lang="en-US" id="acsb-light-contrast" class="acsb-light-contrast"><
head><script type="text/javascript" async="" src="https://www.google-anal
ytics.com/analytics.js"></script><script type="text/javascript" async=""
src="https://www.googletagmanag...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

```
<main id="content" class="site-main post-1796 page type-page status-publi
sh hentry" role="main" data-acsb-main="true"><div class="page-content"><d
iv data-elementor-type="wp-page" data-elementor-id="1796" class="elemento
r elementor-1796"><section tabi...
```

```
<footer id="colophon" data-acsb-page-footer="true" role="contentinfo" ari
a-label="Footer"><div class="site-info"><div data-elementor-type="sectio
n" data-elementor-id="155" class="elementor elementor-155 elementor-motio
n-effects-parent"><section tabi...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	60	0	100%
----	--	-----	----	---	------

Code snapshots of some successful elements

```
<strong>We value your privacy</strong>
```

```
<p>We use cookies to enhance your browsing experience, serve personalized ads or content, and analyze our traffic. By clicking "Accept All", you consent to our use of cookies.</p>
```

```
<button class="cky-btn cky-btn-customize " aria-label="Customize" data-cky-tag="settings-button" style="undefined;background-color:transparent;border-color:#1863dc;background-color:#ffffff!important" data-acsb-original-style="color:#1863dc;backgr...
```

```
<button class="cky-btn cky-btn-reject " aria-label="Reject All" data-cky-tag="reject-button" style="undefined;background-color:transparent;border-color:#1863dc;background-color:#ffffff!important" data-acsb-original-style="color:#1863dc;background...
```

```
<button class="cky-btn cky-btn-accept " aria-label="Accept All" data-cky-tag="accept-button" style="undefined;background-color:#1863dc;border-color:#1863dc;background-color:#ffffff!important" data-acsb-original-style="color:#FFFFFF;background-col...
```

```
<h1 class="elementor-heading-title elementor-size-xxl " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1">Inspiring & Advancing Colorado Springs Through Sport</h1>
```

```
<h2 class="elementor-heading-title elementor-size-xxl " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="3">About Colorado Springs Sports Corp</h2>
```

```
<p >Colorado Springs Sports Corporation (CSSC) exists to inspire and advance Colorado Springs, Olympic City USA, and the Pikes Peak Region through sport and community events.</p>
```

```
<p >Through event promotion and community development activities, CSSC plays a critical role in bringing civic leaders together with some of the nation's premier sporting organizations to promote tourism and create positive economic impact.</p>
```

```
<span class="elementor-button-text " style=";background-color:#ffffff!important;color:#000000!important;">Read More</span>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	4	0	100%

Code snapshots of some successful elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-label="Previous slide" tabindex="0" > <i class="eicon-chevron-left " aria-hidden="true" data-acsb-force-hidden="true" ></i> <span class="elementor-screen-on...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" aria-label="Next slide" aria-hidden="false" tabindex="0" > <i aria-hidden="true" class="eicon-chevron-right " data-acsb-force-hidden="true" ></i> <span class="...
```

```
<div class="swiper-button-left left-5f87083 " role="button" tabindex="0" > <span data-="true" " aria-hidden="false" > Previous slide </span><svg xmlns="http://www.w3.org/2000/svg" width="54" height="54" viewBox="0 0 54 54" aria-hidden="true" dat...
```

```
<div class="swiper-button-right right-5f87083 " role="button" tabindex="0" > <span data-="true" " aria-hidden="false" > Next slide </span><svg xmlns="http://www.w3.org/2000/svg" width="54" height="54" viewBox="0 0 54 54" aria-hidden="true" data-...
```

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
----	---	----	---	---	---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
----	---	----	---	---	---

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
----	--	----	---	---	---

43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
----	--	----	---	---	---

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
----	--	----	---	---	---

45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
----	--	----	---	---	---

and an "aria-label" attribute that describes the functionality."

47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	2	0	100%

Code snapshots of some successful elements

```
<iframe src="https://www.google.com/recaptcha/api2/anchor?ar=1&k=6LfHrSkUAAAAAPnKk5cT6JuKlKPzbwyTYu08--Vr&co=aHR0cHM6Ly93d3cuY29sb3JhZG9zcHJpbmdzc3BvcnRzLm9yZzo0NDM.&hl=en&v=vpEprwpCoBMgy-fvZET0Mz6L&size=invisible&cb=lx4as0lpk..."
```

```
<iframe src="https://www.google.com/recaptcha/api2/bframe?hl=en&v=vpEprwpCoBMgy-fvZET0Mz6L&k=6LfHrSkUAAAAAPnKk5cT6JuKlKPzbwyTYu08--Vr" name="c-dchvj1czsbak" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-origin al..."
```